The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-23679

Stream : Wabash River

Applicant : City of Lafayette

**Brad Talley** 

1700 Wabash Avenue Lafayette, IN 47909-1002

Description : One 84" diameter stormwater outfall pipe will extend approximately 300' from a

concrete diversion structure through an existing ditch to a headwall along the East bank of Wabash River. The ditch with the extended outfall pipe and concrete structure will be filled to a grade of approximately 529' NGVD sloping uniformly to approximately 522' NGVD. Rip rap will be placed from the headwall

to the river for energy dissipation. Details of the project are contained in

information received at the Division of Water on February 13, 2006 and in plans

and information received at the Divison of Water on February 17, 2006.

Location : Along the Southeast bank, approximately 3000' downstream from the State Route

26 river crossing

DOWNSTREAM: near Lafayette, Fairfield Township, Tippecanoe County E½, SW¼, NW¼, Section 29, T 23N, R 4W, Lafayette West Quadrangle

Quad Code: 4008648

UTM Coordinates: Downstream 4473478 North, 508350 East

**UPSTREAM: Tippecanoe County** 

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 1 02/23/2006 11:20 AM

Application # : FW-23680

Stream : Wildcat Creek

Applicant : Haynes International

Dick Munsey

1020 West Park Avenue Kokomo, IN 46901-6330

Description : A total of 464' of flood wall will be constructed of concrete and keystone in 3

seperate locations in the floodway. The height of the wall is proposed at an elevation of 799' NGVD. Details of the project are contained in information and

plans received at the Division of Water on February 14, 2006.

Location : between McCann Street and Phillips Street, North of Park Avenue and South of

Wildcat Creek

DOWNSTREAM: near Kokomo, Center Township, Howard County NW14, SW14, Section 36, T 24N, R 3E, Kokomo West Quadrangle

Quad Code: 4008642

UTM Coordinates: Downstream 4481491 North, 572383 East

**UPSTREAM: Howard County** 

UTM Coordinates: Upstream 4481764 North, 572726 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23681

Stream : Big Blue River

**Applicant** : \*Indiana Department of Transportation

Richard Phillabaum

100 North Senate Avenue, Room N642

Indianapolis, IN 46204-2216

Description : A stormwater outfall structure will be constructed along the east (right) bank of

> Big Blue River to improve drainage on a proposed project located landward of the floodway. A 47" outfall pipe will be buried to a depth of 5' in the floodplain. The 3696' long pipe will carry stormwater from the intersection of State Road 44 (Colescott Street) and Miller Street to the river. An automatic drainage gate will be placed at the end of the pipe to prevent backflow into the river. Riprap laid on geotextiles will be placed at the base of the outlet for erosion control. Proposed projects located landward of the floodway include; a two-lane roadway with parking lanes on both sides, new concrete curb, gutter, sidewalks, driveways, and

> a portion of the stormwater outfall structure. Details of the project are contained in

information and plans received at the Division of Water on February 14, 2006.

Beginning at the State Road 44 (Colescott Street) and Miller Street intersection Location

and extending west approximately 3696' to the right (east) bank of the river

near Shelbyville, Addison Township, Shelby County

NW1/4, NE1/4, SE1/4, Section 1, T 12N, R 6E, Shelbyville Quadrangle

Quad Code: 3908557

UTM Coordinates: Downstream 4374800 North, 603025 East

Statute/Rule Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23686

Stream : St. Joseph River

Applicant : Dave Ganger

22237 Heron Cove Elkhart, IN 46516

Description : An existing steel sheet piling seawall will be refaced with steel sheet piling along

the applicant's 275' frontage. The wall will be constructed of 5 gauge steel

sheets, which will be placed directly in front of the existing wall. Deadmen will be placed every 9' along the wall. The steel sheets will be 11' tall and embedded 6' in the streambed. The new seawall will be capped with a 4" angle iron top cap. A 3" perforated drain line will be placed along the entire wall. Details of the project are contained in plans and information received at the Division of Water on

February 15, 2006.

Location : 22237 Heron Cove

near Elkhart, Concord Township, Elkhart County

NE14, NW14, SE14, Section 36, T 38N, R 5E, Elkhart Quadrangle

Quad Code: 4108568

UTM Coordinates: Downstream 4617074 North, 592033 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23687

Stream : Berkshire Creek

Applicant : John Pettengill

4444 Linton Lane

Indianapolis, IN 46226-3165

Description : Approximately 36' of the creek's eroded streambank will be stabilized with riprap

placed over a geotextile fabric to protect the bank from further erosion. The riprap will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 6'. Details of the project are contained in information and plans received at the Division of Water

on February 17, 2006.

Location : 4444 Linton Lane; along the southwest (right) stream bank, approximately 700'

upstream of the confluence of Devon Creek

at Indianapolis, Washington Township, Marion County

SE14, NW14, NE14, Section 16, T 16N, R 4E, Indianapolis East Quadrangle

Quad Code: 3908671

UTM Coordinates: Downstream 4409870 North, 577768 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23688

Stream : West Fork White River

Applicant : Co Alliance, LLP

Roger Ryan

103 Lincoln Street

Danville, IN 46122-1775

Description : The project is to replace an existing porous dike/containment area that protects

the adjacent area and the West Fork White River from possible spills that would be a result from storage tank leakage or leakage what would be a result of spill during transfer from or to tanker or delivery trucks. The new containment area will consist of a concrete floor and reinforced concrete walls. The walls shall extend two (2) feet above the 100-year frequency flood elevation. Details of the project

are contained in information and plans received at the Division of Water on

January 30, 2006 and February 17, 2006.

Location : West Washington Street; extends approximately 325' to 525' west and 330' south

of the intersection of West Washington Street and State Road 39

DOWNSTREAM: near Martinsville, Jefferson Township, Morgan County NW¼, NE¼, NE¼, Section 5, T 11N, R 1E, Martinsville Quadrangle

Quad Code: 3908644

UTM Coordinates: Downstream 4364000 North, 548150 East

UPSTREAM:

UTM Coordinates: Upstream 4364118 North, 548230 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23689

Stream : South Fork Wildcat Creek

Applicant : Bruce L Welty

140 West Briarwood Drive

Frankfort, in 46041

Description : Reconstruction of an existing barn. Details of the project are contained in

information received electronically at the Division of Water on February 20, 2006.

Location : 140 West Briarwood Drive; approximately 2100' west and 500' south of the

County Road 200 North and State Road 75 intersection

near Frankfort, Union Township, Clinton County

E½, NE¼, NE¼, Section 34, T 22N, R 1W, Frankfort Quadrangle

Quad Code: 4008635

UTM Coordinates: Downstream 4462616 North, 541842 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23690

Stream : White Ditch

Applicant : Town of Michiana Shores, Indiana

Joan M Lewis

Town Council President 601 El Portal South

Michiana Shores, IN 46360-1985

Description

Funding for this project is provided in part by the National Oceanic and Atmospheric Administration Great Lakes Costal Restoration Grant and the Indiana Department of Natural Resources, Lake Michigan Coastal Program administered through the Indiana Department of Natural Resources. This project will be constructed over an approximately 1,450' long reach of White Ditch in Michiana Shores, Indiana. This reach of stream is located in between the Oakdale and El Portal Drive culvert crossing.

On the south (right-hand side) of the stream, project components will involve the removal of scrub trees and vegetation, stabilizing the existing near vertical slopes to a more stable 3:1 slope, installing an 8" diameter straw wattle roll at the existing toe for stabilization and erosion control, the installation of turf reinforcement mat (TRM) erosion control blanket on the newly constructed stable slope, and the revegetation of disturbed areas with deep rooted native grasses. Excavation on the south side will vary from approximately 50 to 90-square feet of material per running foot length of stream. In accordance with IDNR regulations, the maximum spoil material height placed in the south overbank area will be limited to 6" (vertical). Excess material beyond this quantity resulting from excavation activities on the south (right-hand) side of the stream will be removed from the Floodway. Trees cleared from the south side of the stream that cannot be chipped will be removed from the Floodway. Approximately four pipe small diameter (12" or less) pipe outfalls are located along the south bank. To accommodate the slope reconstruction, the pipe outfalls will be stabilized with up to 15 square yards of riprap, after the outfalls have been cut back to match the reduced slope of the bank. On the north (left-hand side) of the stream, work will include the installation of an 8" diameter straw wattle roll at the existing toe. Mature, large diameter trees are currently located on the north side of the stream. Tree clearing will not be performed on the north side of the stream for stabilization efforts. A nature trail will also be established on the north side of the stream. consisting of a 6' wide, 6" thick layer of recycled concrete aggregate placed over geotextile. Details of the project are contained in information received electronically at the Division of Water on February 20, 2006.

Location : No physical address has been developed for this project. The stretch of White

Ditch where work will be performed is located in Michiana Shores, Indiana in

between the Oakdale and El Portal Drive culvert crossings. At Michiana Shores, Springfield Township, LaPorte County Section 12, T 38N, R 4W, New Buffalo West,MI-IN Quadrangle

Quad Code: 4108677

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

**IAC 10** 

Application # : NW-55

Stream : St. Joseph River

Applicant : Dave Ganger

22237 Heron Cove Elkhart, IN 46516

Description : An existing steel sheet piling seawall will be refaced with steel sheet piling along

the applicant's 275' frontage. The wall will be constructed of 5 gauge steel

sheets, which will be placed directly in front of the existing wall. Deadmen will be placed every 9' along the wall. The steel sheets will be 11' tall and embedded 6' in the streambed. The new seawall will be capped with a 4" angle iron top cap. A 3" perforated drain line will be placed along the entire wall. Details of the project are contained in plans and information received at the Division of Water on

February 15, 2006.

Location : 22237 Heron Cove

near Elkhart, Concord Township, Elkhart County

NE¼, NW¼, SE¼, Section 36, T 38N, R 5E, Elkhart Quadrangle

Quad Code: 4108568

UTM Coordinates: Downstream 4617074 North, 592033 East

Statute/Rule : Navigable Waterway Act, IC 14-29-1, with the associated Navigable Waterway

Application # : PL-20366

Lake : Pretty Lake

Applicant : Ora Dwight Gallimore

112 Baker Court

Kendallville, IN 46755-1101

Description : A new concrete seawall will be constructed across 50' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on February 13, 2006.

Location : Lot 61, Hartzell's First Addition to Idle Hour Addition

at Wolcottville, Milford Township, LaGrange County

NW1/4, SW1/4, NW1/4, Section 15, T 36N, R 11E, Wolcottville Quadrangle

Quad Code: 4108553

UTM Coordinates: Downstream 4604621 North, 645665 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20368

Lake : Dallas Lake

Applicant : Tom Herman

515 East 680 South

Wolcottvill, IN 46795-8937

Description : A concrete seawall will be constructed across the applicant's 55' frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of

Water on February 17, 2006.

Location : 515 East 680 South

near Wolcottville, Johnson Township, LaGrange County

NW¼, NW¼, SE¼, Section 30, T 36N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4600627 North, 632362 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20369

Lake : Witmer Lake

Applicant : Steve and Eileen Shoemaker

3763 CR 49

Butler, IN 46721-9620

Description : Approximately 45' of the lake shore will be straightened to construct a new

concrete seawall along 45' of applicants frontage. The lakeward face of the wall

will be located along the lake's legal shoreline. Details of the project are

contained in information and plans received at the Division of Water on February

17, 2006.

Location : 1855 East 720

near Wolcottville, Johnson Township, LaGrange County

SW¼, NE¼, NE¼, Section 32, T 36N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4599655 North, 634378 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20370

Lake : Witmer Lake

Applicant : Dee L Strycker

711 East Jefferson Goshen, IN 46528

Description : A new stone and concrete seawall will be constructed along 90' of applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received

at the Division of Water on February 17, 2006.

Location : Lot 10, East County Road 770 South, along the north west channel bank

near Wolcottville, Johnson Township, LaGrange County

SW1/4, NW1/4, SE1/4, Section 32, T 36N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4598823 North, 634015 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20371

Lake : Loon Lake

Applicant : John D Scheidleman

7743 North Arnold Road

Columbia City, IN 46725-9549

Description : A new underwater beach will constructed in front of the property of the applicant

on Loon Lake to provide swimming. The beach will consist of a 4" to 6" thick layer of (7/64 inch clean, washed pea gravel placed directly on the lakebed. The beach will begin approximately 20' west of the eastern property line and will extend westerly across 30' of the 70' frontage. It will have a maximum lakeward projection of 25' or a depth of 6" to 4' below the average normal level of the lake. Details of the project are contained in information received electronically at the

Division of Water on February 22, 2006.

Location : 7743 Noth Arnold Road; Lot number Thirteen (13) in Charles H. Arnold Addition

to Loon Lake

at Columbia City, Etna-Troy Township, Whitley County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20373

Lake : Chapman Lake

Applicant : Pete Smith

955 Chapman Lake Drive WARSAW, IN 46582-7833

Description : An existing concrete seawall will be refaced across a portion of the 60' frontage of

the applicant on chapman Lake to prevent deterioration. The refacing will consist of poured in placed concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on

February 23, 2006.

Location : East side of Chapman lake, near the town of Warsaw, Indiana in Plain township,

in Kosciusko county. Legal Description: 029-098-074 PT W FRCL 1/2NW 25-33-6

.27A per survey

Near Warsaw, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake